


# ZW008UWA - Z-Wave™ Control + Air Quality Insert

## Product Datasheet



1

### Z-Wave Control Features

- Z-Wave Plus Certified with 800 series chipset
- Remote ON/OFF control via external Z-Wave controller/hub.
- Manual ON/OFF control via front panel push button.
- User replaceable Insert – no electrician required
- Instantaneous W and kWh consumption for host wiring device.<sup>2</sup>
- Independent meter reports for each receptacle when used with a Swidget 15A or 20A outlet.
- OTA upgradeable firmware

### Air Quality Sensor Features

- Measures various components in the air to establish the air quality index
- Combined Air Quality Index (IAQ: 0 - 500)
- Temperature Sensor between -10°C to 40°C (14°F to 104°F)
- 0 to 100% RH (relative humidity) operating range
- Breath Volatile Organic Compounds (b-VOC: 0- 1000 ppb) representing the most important compounds in an exhaled breath of healthy humans
- Multilevel sensor reports for temperature, humidity and VOC.
- Notification reports for temperature and air quality

<sup>1</sup>Swidget wiring device not included with Insert

<sup>2</sup>Not applicable to Auxiliary and 20/40/60 Control Switch

Specification Submittal	
Project Name:	
Project Number:	
Submitted By:	
Date:	
Comments:	

## Description

The Swidget Z-Wave Control + Air Quality Insert is a modular smart home solution engineered for seamless integration with all Swidget wiring devices. Swidget's Z-Wave Devices and Inserts simplify the process of upgrading your home to a smart living space. Swidget Devices are installed in your home just like any other wiring devices, ensuring there is no unnecessary complexity during installation. Once your device is installed, simply select your desired sensor capability, and snap your Swidget Z-Wave Insert into the Swidget wiring device. The modularity of Swidget's Inserts ensures that the solution is adaptable to your needs as they change, and future-proofs your investment by enabling you to adapt to new technologies, sensors, and trends as they emerge.

The Swidget Z-Wave Control + Air Quality Insert allows the user to control and monitor a Swidget wiring device in a Z-Wave network. The Swidget Air Quality Insert monitors Volatile Organic Compounds (VOCs), temperature, and humidity to provide an Air Quality Index (AQI). Passively monitor your room's air quality, humidity and temperature through Swidget's App or actively use them in automations to optimize and improve your living space. The Swidget Air Quality Insert works directly out of the box when paired with Swidget's 20/40/60 Timer Control Switch and Panasonic ventilation products such as WhisperQuiet bathroom fans and Panasonic Energy Recovery Ventilator (ERV) systems.

## Specifications<sup>1</sup>


Product Number	ZW008UWA
Wireless Standard	Z-WAVE PLUS V2 Certified

<sup>1</sup>Compliances, Specifications And Availability Are Subject To Change Without Notice.

Wireless Band	908.42 MHz
Z-Wave Series	800 Series
Compatible Devices	Swidget Wiring Devices
Support Z-Wave Security	S2 Authenticated and S2 Unauthenticated
Z-Wave Repeater	Yes - Node Repeater
Z-Wave Devices Types	SWITCH BINARY (0x25), two METER V2 (0x32)
Temperature Range	-10 - 40°C (±1°C) / 14 - 104°F (±1.8°F)
Relative Humidity Range	0-100% {+/- 5% RH}
Calculated AQI	0 - 500 Relative Index
Calculated TVOC	0- 1000 ppb
Electrical Rating	5VDC
Hub/Controller Compatibility	Generic Z-Wave support
Device Upgrades	OTA
Environmental	Indoor installation only
Operating Temperature	-10 - 40°C / 14 - 104°F
Certifications and Compliances - FCC	FCC Part 15 Subpart 15.247
Certifications and Compliances - ISED	RSS-247 Issue 2:2017

## Air Quality Index

IAQ Index	Air Quality	Impact (long-term exposure)	Suggested action
0-50	Excellent	Pure air; best for well-being	No measures needed
51-100	Good	No irritation or impact on well-being	No measures needed
101-150	Lightly polluted	Reduction of well-being possible	Ventilation suggested
151-200	Moderately polluted	More significant irritation possible	Increase ventilation with clean air
201-250	Heavily polluted	Exposition might lead to effects like headache depending on type of VOCs	Optimize ventilation
251-350	Severely polluted	More severe health issue possible if harmful VOC present	Contamination should be identified if level is reached even w/o presence of people; maximize ventilation & reduce attendance
> 351	Extremely polluted	Headaches, additional neurotoxic effects possible	Contamination needs to be identified; avoid presence in room and maximize ventilation

Sales	Support	Product Instructions
<p>Corporate Office 35 Terry Fox Drive, Unit 201 Kingston, ON K7M 8N4 1-833-303-3433 <a href="http://www.swidget.com">www.swidget.com</a></p>	<p>Live chat: <a href="http://support.Swidget.com">support.Swidget.com</a> 1-855-202-1144 <a href="mailto:support@Swidget.com">support@Swidget.com</a></p>	<p> <a href="http://zw008uwa-qr.swidget.com/">http://zw008uwa-qr.swidget.com/</a></p>